



Patient-Centered Prevention Counseling

A New Paradigm for Population Health Improvement

**Steven Heaston MPH, PhD(c)
Navy Environment Health Center**

Learning Objectives

Following the presentation, participants will be able to:

- define the goal of patient-centered prevention counseling
- state the rationale for focusing on the patient
- assist the patient in developing a personalized action plan for behavioral risk reduction

Quotation

**If I'd known I was going to live so long
I'd have taken better care of myself**
~Leon Eldred

Historical Perspective



November 5,
2006

AMSUS

Presentation Overview

- Define patient-centered prevention counseling
- Discuss behavioral theories
- Justify approach
- Present potential benefits
- Pose challenges to providers and patients
- Discuss incentives and barriers to behavior change
- Evidence-based support
- Identify key concepts and skills
- Present overview of stepwise approach

Definition

Patient-Centered Prevention

Counseling is an exchange of ideas between patient and provider that focuses on the needs and circumstances of the patient to support behavior change that will reduce or eliminate risk of disease or injury.

Provider-Patient Relationship



A long term relationship with your primary care doctor can result in better overall family health...

Health Education Theories

- Individual Theories
 - Health Belief Model
 - Theory of Reasoned Action/Planned Behavior
- Interpersonal Theories
 - Social Cognitive Theory
 - Locus of Control
- Social Systems Theories
 - General Systems Theory
 - Systems Thinking
- Stage Theories
 - Transtheoretical Model
(Stages of Change Theory)

Transtheoretical Model (Stages of Change)

- **Precontemplation**
- **Contemplation**
- **Preparation**
- **Action**
- **Maintenance**
- **Termination**

Precontemplation

People are not intending to take action in the foreseeable future.

The provider should:

- Acknowledge concerns
- Provide information and feedback
- Introduce ambivalence
- Discuss change
- Increase perception of risks and problems

Contemplation

People are thinking about change but are not ready for action; people are intending to change in the next six months; they are more aware of the pros of changing but are also acutely aware of the cons.

The provider should:

- Discuss reasons for change and risks of not changing (benefits and barriers)
- Increase self-confidence
- Tip the balance for change
- Review barriers

Preparation

People are intending to take action in the immediate future (w/in 30 days).

The provider should:

- Support motivation and change
- Find change strategies
- Resolve ambivalence

Action

Target behavior has been modified and people are working to prevent relapse.

The provider should:

- Reaffirm commitment
- Identify triggers & coping skills
- Identify self-defeating behaviors
- Resolve associated problems
- Provide support

Maintenance

Overt behavior is unlikely to return,
and there is confidence that you can
cope without fear of relapse.

The provider should:

- Reinforce maintenance activities

Relapse

Progress through the stages of change is usually not a smooth, steady process; rather, it jerks forward and even backward.

Support for a Patient-Centered Approach

- IOM Report Recommendations
- Changing demographics
- Evidence-base of effectiveness



Potential Benefit: Prevent or delay problems

- Heart disease
- Cancer
- Stroke
- Respiratory disease
- Unintentional injury
- Diabetes


Potential Benefit: Reduce healthcare costs

- Aging population
- People living longer
- High prevalence of chronic disease
- Preventable or delayable



November 5,
2006

AMS



Potential Benefit: Empower healthcare consumer

Today's low utilizers of health care services can become tomorrow's high utilizers if their current needs are not effectively addressed.

~Seidman and Wallace

Challenges for Providers

- Lack of time
- Lack of skills
- Lack of desire
- Loss of authority
- Disincentives




Challenges for Patients

- Change is difficult
- Lack of skills
- Social and environmental support



Identify Incentives / Barriers to Change

- **Knowledge**
- **Perceived Risk**
- **Perceived Consequences**
- **Access**
- **Skills**
- **Self-efficacy**
- **Actual Consequences**
- **Attitudes**
- **Intentions**
- **Perceived Social Norms**
- **Policy**



Terminology

Patient-Centered: providing care that is respectful of and responsive to individual patient preferences, needs, and values and ensuring that patient values guide all clinical decisions.

Provider-Centered: providing care that is prescriptive; one approach that is therapeutically correct.

Terminology

Risk Elimination: actions that eliminate risk

Risk Reduction: select those actions the individual is willing and able to do that decrease the likelihood of disease or injury.

Terminology

Counseling: tailoring strategies that best fit an individual's skills, attitudes, and beliefs

Prescribing: directing a course of action to be followed

Essential Concepts

- Focus on Feelings
- Manage Your Own Discomfort
- Establish Roles and Responsibilities

Essential Skills

- Ask Open-Ended Questions
- Attend to the Patient
- Offer Options, Not Directives
- Give Information Simply

Overview of Steps

1. Establish the relationship and set the tone
2. Identify risk behaviors and circumstances
3. Identify the patient's readiness to change
4. Identify incentives and barriers to change
5. Identify healthier goal behaviors
6. Develop a personalized Action Plan
7. Make effective referrals
8. Summarize and close the session

Step 1: Introduce and Orient the Patient

- Sets the tone
- Relaxes the patient
- Encourages dialogue
- Allows for disclosure



Step 2: Identify Risk Behaviors and Circumstances

- Prompt with clear, direct questions
- Remain non-judgmental
- Ask good open-ended questions
- Listen!
- Identify environmental factors and circumstances

Step 3: Identify the patient's readiness to change

- Don't assume patient is ready for "Action"
- Goal is to move forward to next stage
- Tailor discussion to current stage
- Provide validation for progress

Step 4: Identify incentives and barriers to change

- Identify key determinants of change
- Factors can be either incentives or barriers
- Reinforce incentives; overcome barriers

Step 5: Identify healthier goal behaviors

- Patient's goal behavior; not provider's goal
- Risk elimination may not be feasible
- Reinforce risk reduction



Step 6: Develop a personalized Action Plan


- Must be specific! And detailed!
- Consider triggers and coping mechanisms
- Consider Who, Where, When, How, etc.

Step 7: Make effective referrals

- Know when to refer
- Help the patient define priorities
- Discuss and offer options
- Offer the referral
- Refer to known and trusted sources
- Assess the patient's response
- Facilitate an active referral

Step 8: Summarize and close the session

- Concise closing statement
- Closed-ended questions
- “Letting-go”
- Unaccomplished business




Summary

- Restate the goal
- Paradigm shift
- Efficacy of patient-centered interventions
- Stress that this counseling process is a learned skill

Conclusion

- “Knowing is not enough..
We must apply.”
~Goethe




Bibliography

Provided as an attachment to this ppt.
presentation

Thank You.

Questions?



2/12/77

Fig. 318,
Latham

**Further information can be found
at
www-nehc.med.navy.mil/hp or
757-953-0962 (DSN 377)**

November 5,
2006

AMSUS

Bibliography

- Armstrong, G. L.; Conn, L. A.; Pinner, R. W. (1999). Trends in infectious disease mortality in the United States during the 20th century. *JAMA*, 281, 61-66.
- Centers for Disease Control and Prevention. (2003). *Public health and aging: Trends in aging-United States and worldwide*, 52(06), 101-106. Morbidity and Mortality Weekly Report. Retrieved June 3, 2006, from <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5206a2.htm>
- Centers for Disease Control and Prevention. (2004). *The state of aging and health in America, 2004*. Retrieved June 2, 2006, from http://www.cdc.gov/aging/pdf/State_of_Aging_and_Health_in_America_2004.pdf
- Centers for Disease Control and Prevention. (2006). *National vital statistics report: Deaths: Final data for 2003*, 54(13). Retrieved June 9, 2006, from http://www.cdc.gov/nchs/data/nvsr/nvsr54/nvsr54_13.pdf
- Clark, N. M. & Gong, M. (2000). Management of chronic disease by practitioners and patients: Are we teaching the wrong things? *British Medical Journal*, 320, 572-575.
- DeBarr, K. A. (2004). A review of current health education theories. *California Journal of Health Promotion*, 2(1), 74-87.
- Fisher, K. L. (2006). Assessing psychosocial variables: A tool for diabetes educators. *The Diabetes Educator*, 32(1), 51-57.
- Heywood, A., Firman, D., Math, M., Sanson-Fisher, R., Mudge, P., & Ring, I. (1996). Correlates of physician counseling associated with obesity and smoking. *Preventive Medicine*, 25, 268-276.
- Institute of Medicine. (1999). *Reducing the burden of injury: Advancing prevention and treatment*. Washington, DC: The National Academies Press.
- Institute of Medicine (IOM). (2001). *Crossing the quality chasm: A new health system for the 21st century*. Washington D.C.: National Academy Press.
- National Center for Health Statistics. (2003). *Health, United States, 2003*. Hyattsville, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.
- National Institute of Diabetes & Digestive & Kidney Diseases. (2001). *Diet and exercise dramatically delay type 2 diabetes: Diabetes medication metformin also effective*. National Institutes of Health. Retrieved September 13, 2006, from http://www.niddk.nih.gov/welcome/releases/8_8_01.htm
- Ockene, J. K., Ockene, I. S., Quirk, M. E., Herbert, J. R., Saperia, G. M., & Luippold, R. S. et al. (1995). Physician training for patient-centered nutrition counseling in a lipid intervention trial. *Preventive Medicine*, 24, 563-570.
- Rosal, M. C., Effeling, C. B., Lofgren, I., Ockene, J. K., Ockene, I. S., & Herbert, J. R. (2001). Facilitating dietary change: The patient-centered counseling model. *Journal of the American Dietetic Association*, 101(3), 332-341.
- Tongue, J. R., Epps, H. R., & Forese, L. L. (2005). Communication skills for patient-centered care. *The Journal of Bone & Joint Surgery*, 87-A(3), 652-658.
- U.S. Department of Health and Human Services. (2005). *National health expenditure data*. Retrieved September 12, 2006, from <http://www.cms.hhs.gov/NationalHealthExpendData/downloads/proj2005.pdf>

November 5,
2006

AMSUS